


Sound Stages Floor plan



Pink Films International Studios





| STAGE | LENGTH | WIDTH | HEIGHT TO GRID | TOTAL AREA |
|--------|---------|---------|----------------|----------------------|
| Stages | 48 m | 38 m | 16 m | 1.824 m ² |
| 2 & 3 | 157 ft. | 125 ft. | 52 ft. | 19.625 sq.ft. |

Each of our sound stages meets the industry's highest standards:

- All stages are soundproof and allow for direct sound recording
- Full overhead grid with rigging points able to hold 350 kg per intersection point
- Clear height of 16m to grid in two largest sound stages & 12.5m to grid in other 6 sound stages
- Silent ventilation and full climate control
- Independent and redundant high voltage power network
- Fire detection and extinguishing system
- Direct access to production facilities annex
- 2 large loading doors per sound stage

Pink Films International Studios




| STAGE | LENGTH | WIDTH | HEIGHT TO GRID | TOTAL AREA |
|----------|---------|--------|----------------|----------------------|
| Stages | 42 m | 30 m | 12.5 m | 1.260 m ² |
| 4, 5 & 6 | 138 ft. | 98 ft. | 41 ft. | 13.524 sq.ft. |

Each of our sound stages meets the industry's highest standards:

- All stages are soundproof and allow for direct sound recording
- Full overhead grid with rigging points able to hold 350 kg per intersection point
- Clear height of 16m to grid in two largest sound stages & 12.5m to grid in other 6 sound stages
- Silent ventilation and full climate control
- Independent and redundant high voltage power network
- Fire detection and extinguishing system
- Direct access to production facilities annex
- 2 large loading doors per sound stage

Pink Films International Studios



| STAGE | LENGTH | WIDTH | HEIGHT TO GRID | TOTAL AREA |
|----------|---------|--------|----------------|--------------------|
| Stages | 32 m | 20 m | 12.5 m | 640 m ² |
| 7, 8 & 9 | 105 ft. | 65 ft. | 41 ft. | 6.825 sq.ft. |

Each of our sound stages meets the industry's highest standards:

- All stages are soundproof and allow for direct sound recording
- Full overhead grid with rigging points able to hold 350 kg per intersection point
- Clear height of 16m to grid in two largest sound stages & 12.5m to grid in other 6 sound stages
- Silent ventilation and full climate control
- Independent and redundant high voltage power network
- Fire detection and extinguishing system
- Direct access to production facilities annex
- 2 large loading doors per sound stage



Novo Naselje bb, 22310 Simanovci, Serbia Tel: +381 22 409 440, Fax: +381 22 409 410

www.pfistudios.com